
Designer Collection Tubs



IMPORTANT ORDERING & INSTALLATION INFORMATION

- Before ordering or installing, please consider future access to equipment.
- · Add proper bedding compound to fully level and support bottom of tub.
- · When equipped with an air bath package, pre-leveled foam base or frame system, overall tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor.
- · Radiance placed on airbath floor will affect placement of air jets. · System components may extend beyond the perimeter of deck.

- · Please measure tub on-site before building tub decking.
- · Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
- · Suction and control locations may vary.
- All tubs are compliant with ASTM C 1028-07 coefficient of friction. DoloMatte meets ANSI A137.1/ A326.3 coefficient of friction and AS HB198:2014 slip tests.

Hydrotherapy Package	Components Included	GFCI / 110V			
Standard Whirlpool	2-bhp pump	1-15 amp			
Stream Bath	½-bhp, ozone	1-20 amp			
Microbubbles	Microbubbles pump	1-15 amp			
Ultra Whirlpool	2-bhp pump, inline heater, ozone	2-15 amp			
Air Massage	heated blower	1-15 amp			
Air Massage Elite	heated blower, chromatherapy	1-15 amp			
Air Massage w/ Stream Bath	1/2-bhp pump, heated blower, ozone	1-20 amp			
Air Massage Elite w/ Stream Bath	1/2-bhp pump, heated blower, chromatherapy, ozone	1-20 amp			
Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information. CSA Certified C/US; B45.5/IAPMO ANSI Z124.1 and ANSI 112.19.7					

ELECTRICAL COMPONENTS & SPECIFICATIONS

Hydrotherapy Package	Components Included	GFCI / 110V
Microbubbles with Air	Microbubbles pump, heated blower	1-20 amp
Microbubbles with Air Elite	Microbubbles pump, heated blower, chromatherapy	2-15 amp
Air with Whirlpool	2-bhp pump, heated blower	2-15 amp
Air with Ultra Whirlpool	2-bhp pump, inline heater, heated blower, ozone	2-20 amp
Air Elite with Whirlpool	2-bhp pump, heated blower, chromatherapy	2-15 amp
Air Elite with Ultra Whirlpool	2-bhp pump, inline heater, heated blower, chromatherapy, ozone	2-20 amp

See the Installation & Operation Manual for more details MTI's Customer Service Monday-Friday 8am-6pm EST 800-783-8827 or service@mtibaths.com

Before discarding tub crate, check for accessories that may be packaged inside.
All product measurements are ±1/2".
Specifications and configurations are subject to change without notice.
Measurements herein supersede all others published prior to publication date below.

Aromatherapy is eliminated for undermount applications

• Air Baths, Pre-Leveled Foam Base or Frame Systems

increase overall height by 2-3".

Andrea[®] 19 MODEL 186 54" x 32" x 19"

Hydrotherapy	Package Contents	Acrylic C	XL®	DoloMat	te®
Packages	Package Contents	Part #	MSRP	Part #	MSRP
Soaker	Soaking bath - no jets	S186-DI	#0 ECE	S186DM-DI	\$3,105
		S186-UM	\$2,565	S186DM-UM	
Stream Bath	6 side vents, 2 end vents, 1/2 bhp pump, Ozone	SM186-DI	¢4.055	SM186DM-DI	\$5,395
		SM186-UM	\$4,855	SM186DM-UM	
Microbubbles		M186-DI	\$5,555	M186DM-DI	\$6,095
Microbubbles	1 microbubbles infusion port and pump	M186-UM	\$5,555	M186DM-UM	
Air Macaaga	20 siriate basted sir blawer Aromatherapy, pro laveled feam base	AST186-DI	\$5,850	AST186DM-DI	\$6,390
Air Massage	20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	AST186-UM	\$5,850	AST186DM-UM	\$6,390
Air Massage Elite	30 air jets, heated air blower, Aromatherapy, Chromatherapy LED	AE186-DI	\$7,560	AE186DM-DI	\$8,100
All Massage Elite	lighting, Spa Mode, pre-leveled foam base	AE186-UM	\$7,500	AE186DM-UM	\$8,100
Stream Bath with	6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated	ASTSM186-DI	\$7,690	ASTSM186DM-DI	\$8,230
Air Massage	air blower, Aromatherapy, pre-leveled foam base	ASTSM186-UM	\$7,050	ASTSM186DM-UM	
Stream Bath with	6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AESM186-DI	\$9,580	AESM186DM-DI	\$10,120
Air Massage Elite		AESM186-UM		AESM186DM-UM	
Microbubbles with	1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	ASTM186-DI	\$8,300	ASTM186DM-DI	\$8,840
Air Massage		ASTM186-UM	\$8,500	ASTM186DM-UM	
Microbubbles with	1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEM186-DI	\$9,920	AEM186DM-DI	\$10,460
Air Massage Elite		AEM186-UM		AEM186DM-UM	
	6 point-massage jets, 2-bhp pump	P186-DI	¢4.005	P186DM-DI	\$5,235
Standard Whirlpool		P186-UM	\$4,695	P186DM-UM	
1.11. 14/1 - 1		P186U-DI	¢c 400	P186UDM-DI	\$7,030
Ultra Whirlpool	8 point-massage jets, 2-bhp pump, inline heater, Ozone	P186U-UM	\$6,490	P186UDM-UM	
Air Massage with	6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower,	AW186-DI	\$7,980	AW186DM-DI	\$8,520
Standard Whirlpool	Aromatherapy, pre-leveled foam base	AW186-UM		AW186DM-UM	
Air Massage with Ultra Whirlpool	8 point-massage jets, 2-bhp pump, inline heater, 20 air jets, heated	AU186-DI	\$0.775	AU186DM-DI	\$10,315
	air blower, Aromatherapy, Ozone, pre-leveled foam base	AU186-UM	\$9,775	AU186DM-UM	
Air Massage Elite with Standard Whirlpool	6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP186-DI		AEAP186DM-DI	4.4.4.4
		\$9,690 AEAP186-UM		AEAP186DM-UM	\$10,230
	8 point-massage jets, 2-bhp pump, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP186U-DI		AEAP186UDM-DI	\$11,215
Air Massage Elite with Ultra Whirlpool		AEAP186U-UM	\$10,675	AEAP186UDM-UM	

RECOMMENDED SENSORY THERAPIES

Audiotherapy

(LE) **\$800** underwater lighting *2 LED lights included*

(STEREOBT) **\$1,390** 2 transducers with bluetooth and amplifier (BTREMOTE) **\$600** bluetooth remote

(STEREOH202) **\$1,575** 4 transducers amplifier not included

Thermaltherapy

(RAD100) **\$1,595** Radiance® 2 heated zones included (HTISOAK) **\$825**



Chromatherapy

For more information on options and accessories go to Acrylic Tub Options at mtibaths.com

Andrea[®] 19 MODEL 186

			MODEL 18		
Options <i>Must be ordered at time of purchase.</i>			Equipment & Cleaning Systems		
Standard Colors White (CWH) DoloMatte available in matte w	hite only.	Must be ordered a	t time of purchase.		
Biscuit (CBS) Not available for DoloMatte.		Inline Heater main	tains water temperature		
Quick Ship reduces lead time (QSPRI) \$430		For Whirlpools or Stream Bath (HTI) \$570 Uses existing pump Cannot be combined with Microbubbles.			
Please call for availability					
Inline Heater maintains water temperature For Soaker or Air Baths (HTISOAK) \$825 Includes a recirculating pump Cannot be combined with Microbubbles.		Whirlpool Cleanin Fill-Flush (FFSO) Simple Touch (FI	ig Systems) \$590		
Virtual Spout high-flow integrated tub filler (FPMJ) \$4! Virtual Spout location is left of the overflow, unless otherwise specified o			ation on order. See page 1 for location options.		
Grab Bars from \$330 Selections vary. Personalization available.		when adding jets.			
Textured Bottom (TXTBTM) Acrylic CXL [®] only \$105		Extra Point-	Massage Jet (EJ) \$315		
DoloMatte [®] exceeds ANSI A137.1/A326.3 and AS HB198	slip tests.	Micro-Jet from \$360			
Low-Profile Rim - reduces rim height to 1" (LPR) \$265	- -		vary. Personalization available. 3-bhp (PUMP3) \$315		
Integral Armrests - 1 pair (INTARM) \$140 end drain tub	models	Jet Trim Kits			
	iniodelis	For Standard Wh	irlpool		
Accessories		Chrome (TRC)	\$270, Brushed Nickel (TRBN) \$725		
Pillows from \$180		For Ultra Whirlpool			
Teak Bath Mat (TKMAT3018) \$815		Chrome (TRCL	J) \$370 , Brushed Nickel (TRBNU) \$960		
Custom sizes also available. Contact MTI for details and pricing.	and pricing.		E) \$515		
Teak Tub Tray Slatted (TK-TRAY1) \$500 Solid (TK-TRAY2) \$570		Cannot be added to soak	kers or airbaths without combination hydrotherapy package or HTISOAk		
Teak Seat (TK-REMSEAT) \$660 For use with armrests only.					
Installation Options Must be ordered at time of	purchase.				
Pre-Leveled Foam Base (PLFOAM) \$295		Tile Flange			
All airbaths include a pre-leveled foam base.		Factory-Installed on 3 sides - rigid ABS (TFK3) \$200 Field Install Kit - includes rigid ABS & adhesive (TFKNI) \$185			
Pre-Leveled Frame and Foam Base (PLF) \$740					
Pre-Leveled Frame and Foam Base with Skirting (Acry For pricing and details go to mtibaths.com	/IIC CXL [®] tubs only)	IMPORTANT: Must species Not available with option	fy flange location(s) on order of Factory-Installed Flange. 1al Low-Profile Rim.		
, , ,					
Drains & Overflow Kits	-	ιοε ιαρ κετι	tangular Overflow must be ordered at time of purcha		
	e Tap Round Overflow – PV	C Drain Kit	Toe Tap Boctangular Overflow PVC Drain Kit		
White/Biscuit (WOCDW) \$440	Chrome (WOTTC) \$3		Rectangular Overflow – PVC Drain Kit Chrome (WOTRC) \$470		
Chrome (WOCD) \$410	Brushed Nickel (WOTTBN) \$385		Brushed Nickel (WOTRBN) \$430		
Brushed Nickel (WOCDBN) \$490	Polished Nickel (WO		White (WOTRW) \$525		
Polished Nickel (WOCDPN) \$540	Special Finishes* (W		Lift & Turn		
	Round Overflow - So		Drain Finishes – PVC Drain Kit		
Polished Brass (WOCDBR) \$690	Chrome (WOTTSBC)	\$810	Chrome (WOC) \$185		
	Dwyshad Nielas (MAC				

Slim-Line Overflow with Toe Tap Drain Must be ordered at time of purchase.

٠	Low	profile	overflow	is	factor	/ installed

MTI does not offer a brass body cable drain kit.

Special Finishes* (WOCDSF) \$1,135

- Overflow measures 4.5" x 1"
- Provides a deeper soak
- · Not available for commercial applications

PVC Drain Chrome (SLOTC) \$500 Brushed Nickel (SLOTBN) \$530 Polished Nickel (SLOTPN) \$555 White (SLOTW) \$430

Slim-Line Overflow with Toe Tap Drain

Brushed Nickel (WOTTSBBN) \$810

Polished Nickel (WOTTSBPN) \$810

White (WOW) \$245 Brushed Nickel (WOBN) \$305

Slim-Line Overflow with Toe Tap Drain Solid Brass Drain Chrome (SLOTSBC) \$930 Brushed Nickel (SLOTSBBN) \$935 Polished Nickel (SLOTSBPN) \$935 White (SLOTSBW) \$965

⁺ MTI has selected an oil-rubbed bronze finish that is compatible with Delta and many other manufacturers. To ensure best match, order as a Special Finish and submit a sample.

* Allow 2-4 weeks lead time for Special Finishes. Send sample for best match.

