

## **Designer Collection** Tubs





**IMPORTANT:** Air baths and tubs with a pre-leveled foam base or frame system add 2-3" to overall tub height.

#### **IMPORTANT ORDERING & INSTALLATION INFORMATION**

- Before ordering or installing, please consider future access to equipment.
- · Add proper bedding compound to fully level and support bottom of tub. • When equipped with an air bath package, pre-leveled foam base or frame system, overall
- tub height is increased by approx. 2-3" and is designed to install on a flat, level subfloor. · Radiance placed on airbath floor will affect placement of air jets.
- · System components may extend beyond the perimeter of deck.

- Please measure tub on-site before building tub decking.
- Advise MTI when planning to use a glass enclosure. Relocation of controls may be necessary.
- · Suction and control locations may vary.
- All tubs are compliant with ASTM C 1028-07 coefficient of friction. DoloMatte meets ANSI A137.1/ A326.3 coefficient of friction and AS HB198:2014 slip tests.


Hydrotherapy Package	Components Included G			
Standard Whirlpool	2-bhp pump	1-15 amp		
Stream Bath	½-bhp, ozone	1-20 amp		
Microbubbles	Microbubbles pump	1-15 amp		
Ultra Whirlpool	3-bhp pump, inline heater, ozone	2-15 amp		
Air Massage	heated blower	1-15 amp		
Air Massage Elite	heated blower, chromatherapy	1-15 amp		
Air Massage w/ Stream Bath	Massage w/ Stream Bath 1/2-bhp pump, heated blower, ozone 1-20 amp			
Air Massage Elite w/ Stream Bath 1/2-bhp pump, heated blower, chromatherapy, ozone 1-20 amp		1-20 amp		
Electrical requirements may change with the addition of optional therapy components. See specific option details or installation information. CSA Certified C/US; B45.5/JAPMO ANSI Z124.1 and ANSI 112.19.7				

## **ELECTRICAL COMPONENTS & SPECIFICATIONS**

Hydrotherapy Package	Components Included	GFCI / 110V	
Microbubbles with Air	Microbubbles pump, heated blower	1-20 amp	
Microbubbles with Air Elite	Microbubbles pump, heated blower, chromatherapy	2-15 amp	
Air with Whirlpool	2-bhp pump, heated blower	2-15 amp	
Air with Ultra Whirlpool	3-bhp pump, inline heater, heated blower, ozone	2-20 amp	
Air Elite with Whirlpool	2-bhp pump, heated blower, chromatherapy		
Air Elite with Ultra Whirlpool	3-bhp pump, inline heater, heated blower, chromatherapy, ozone	2-20 amp	

See the Installation & Operation Manual for more details MTI's Customer Service Monday-Friday 8am-6pm EST 800-783-8827 or service@mtibaths.com

Before discarding tub crate, check for accessories that may be packaged inside.
 All product measurements are ±1/2".
 Specifications and configurations are subject to change without notice.
 Measurements herein supersede all others published prior to publication date below.



Wyndham 4 features integral armrests

17 7/

#### CSA # MTDS-19 CSA # MTDS-19DM

Rev. 03 15 2023

Aromatherapy is eliminated for undermount applications

• Air Baths, Pre-Leveled Foam Base or Frame Systems

increase overall height by 2-3".

Wyndham 4 model 19 70.75" x 35.75" x 19"

Hydrotherapy	Paskana Contenta	Acrylic C	XL®	DoloMat	te®
Packages	Package Contents	Part #	MSRP	Part #	MSRP
Soaker	Soaking bath - no jets	S19	\$2,370	S19DM	\$2,910
Stream Bath	6 side vents, 2 end vents, 1/2 bhp pump, Ozone	SM19	\$4,660	SM19DM	\$5,200
Microbubbles	1 microbubbles infusion port and pump	M19	\$5,360	M19DM	\$5,900
Air Massage	20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	AST19	\$5,655	AST19DM	\$6,195
Air Massage Elite	30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AE19	\$7,365	AE19DM	\$7,905
Stream Bath with Air Massage	6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	ASTSM19	\$7,495	ASTSM19DM	\$8,035
Stream Bath with Air Massage Elite	6 side vents, 2 end vents, 1/2 bhp pump, Ozone, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AESM19	\$9,385	AESM19DM	\$9,925
Microbubbles with Air Massage	1 microbubbles infusion port and pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	ASTM19	\$8,105	ASTM19DM	\$8,645
Microbubbles with Air Massage Elite	1 microbubbles infusion port and pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEM19	\$9,725	AEM19DM	\$10,265
Standard Whirlpool	6 point-massage jets, 2-bhp pump	P19	\$4,500	P19DM	\$5,040
Ultra Whirlpool	8 point-massage jets, 3-bhp pump, inline heater, Ozone	P19U	\$6,295	P19UDM	\$6,835
Air Massage with Standard Whirlpool	6 point-massage jets, 2-bhp pump, 20 air jets, heated air blower, Aromatherapy, pre-leveled foam base	AW19	\$7,785	AW19DM	\$8,325
Air Massage with Ultra Whirlpool	8 point-massage jets, 3-bhp pump, inline heater, 20 air jets, heated air blower, Aromatherapy, Ozone, pre-leveled foam base	AU19	\$9,580	AU19DM	\$10,120
Air Massage Elite with Standard Whirlpool	6 point-massage jets, 2-bhp pump, 30 air jets, heated air blower, Aromatherapy, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP19	\$9,495	AEAP19DM	\$10,035
Air Massage Elite with Ultra Whirlpool	8 point-massage jets, 3-bhp pump, inline heater, 30 air jets, heated air blower, Aromatherapy, Ozone, Chromatherapy LED lighting, Spa Mode, pre-leveled foam base	AEAP19U	\$10,480	AEAP19UDM	\$11,020

#### **RECOMMENDED SENSORY THERAPIES**

#### Chromatherapy

(LE) **\$800** underwater lighting 2 LED lights included

#### Audiotherapy

(STEREOBT) \$1,390 2 transducers with bluetooth and amplifier (BTREMOTE) \$600 bluetooth remote (STEREOH202) \$1,575 4 transducers amplifier not included

#### Thermaltherapy

(RAD100) **\$1,595** Radiance® 2 heated zones included (HTISOAK) **\$825** 



# For more information on options and accessories go to Acrylic Tub Options at mtibaths.com

### Wyndham 4 MODEL 19

<b>Options</b> Must be ordered at time of purch	ase.		Equipment & Cleaning Systems	
Standard Colors White (CWH) DoloMatte availa		Must be ordered o	at time of purchase.	
Biscuit (CBS) Not available for	DoloMatte.		ntains water temperature	
Quick Ship reduces lead time (QSPRI) \$430			r Stream Bath (HTI) <b>\$570</b>	
Please call for availability		Uses existing Cannot be combined w		
Inline Heater maintains water temperature				
For Soaker or Air Baths (HTISOAK) \$82!	5	Whirlpool Cleani	• •	
Includes a recirculating pump Cannot be combined with Microbubbles.		Fill-Flush (FFSC		
		Simple Touch (F	-+E) <b>\$1,020</b> cation on order. See page 1 for location options.	
Virtual Spout high-flow integrated tub filler				
Virtual Spout location is left of the overflow, unless otherwi	se specified on order.		ump upgrade may be advisable for optimal performance	
Grab Bars from \$330		when adding jets.		
Selections vary. Personalization available.		Point-Massag		
Textured Bottom (TXTBTM) Acrylic CXL® only \$	105	Micro-Jet from	-Massage Jet (EJ) <b>\$315</b>	
DoloMatte <sup>®</sup> exceeds ANSI A137.1/A326.3 and			s vary. Personalization available.	
	AS TIBISO SILP TESTS.		3-bhp (PUMP3) <b>\$315</b>	
Accessories		1 13		
Pillows from \$180		Jet Trim Kits For Standard Whirlpool		
			) <b>\$270</b> , Brushed Nickel (TRBN) <b>\$725</b>	
Teak Bath Mat         (TKMAT3018)         \$815           Custom sizes also available. Contact MTI for details and pricing.         \$100 million         \$100 mill		For Ultra Whirlp		
		Chrome (TRCU) <b>\$370</b> , Brushed Nickel (TRBNU) <b>\$960</b>		
Teak Tub Tray				
Slatted (TK-TRAY1) \$500 Solid (TK-TRAY2) \$570		Ozonator (OZONE) <b>\$515</b> Cannot be added to soakers or airbaths without combination hydrotherapy package or HTISOAH		
			, , , , , , , , , , , , , , , , , , ,	
Installation Options Must be ordered	l at time of purchase.			
Pre-Leveled Foam Base (PLFOAM) \$295		Tile Flange		
All airbaths include a pre-leveled foam base.		Factory-Installed on 3 sides - rigid ABS (TFK3) <b>\$200</b> Field Install Kit - includes rigid ABS & adhesive (TFKNI) <b>\$185</b>		
Pre-Leveled Frame and Foam Base (PLF) \$740				
Pre-Leveled Frame and Foam Base with Skirting (Acrylic CXL® tubs only)		IMPORTANT: Must specify flange location(s) on order of Factory-Installed Flange. Not available with optional Low-Profile Rim.		
For pricing and details go to mtibaths.com		Not available with optic		
Drains & Overflow Kits		Toe Tap Red	ctangular Overflow must be ordered at time of purcha	
Cable Driven	Toe Tap		Тое Тар	
Drain Finishes – PVC Drain Kit	Round Overflow – PV	/C Drain Kit	•	
White/Biscuit (WOCDW) \$440	Chrome (WOTTC) <b>\$</b> 3	380	Chrome (WOTRC) \$470	
Chrome (WOCD) <b>\$410</b>	Brushed Nickel (WO	TTBN) <b>\$385</b>	Brushed Nickel (WOTRBN) <b>\$430</b>	
	D II I INII I MARO	TTONK COOF		

 Chrome (WOCD) \$410
 Brushe

 Brushed Nickel (WOCDBN) \$490
 Polishe

 Polished Nickel (WOCDPN) \$540
 Specia

 Oil-Rubbed Bronze<sup>†</sup> (WOCDOR) \$550
 Round C

 Polished Brass (WOCDBR) \$690
 Chrom

 Special Finishes\* (WOCDSF) \$1,135
 Brushe

 MTI does not offer a brass body cable drain kit.
 Polishe

**PVC** Drain

Chrome (SLOTC) \$500

White (SLOTW) \$430

Brushed Nickel (SLOTBN) \$530

Polished Nickel (SLOTPN) \$555

Slim-Line Overflow with Toe Tap Drain Must be ordered at time of purchase.

Low profile overflow is factory installed
 Slim-Line Overflow with Toe Tap Drain

Low profile overflow is factory in:
Overflow measures 4.5" x 1"

- Provides a deeper soak
- Not available for commercial applications

Round Overflow – PVC Drain Kit Chrome (WOTTC) **\$380** Brushed Nickel (WOTTBN) **\$385** Polished Nickel (WOTTPN) **\$385** Special Finishes\* (WOTTSF) **\$1,145** Round Overflow – Solid Brass Drain Chrome (WOTTSBC) **\$810** Brushed Nickel (WOTTSBN) **\$810** Polished Nickel (WOTTSBPN) **\$810** 

Chrome (WOC) **\$185** White (WOW) **\$245** Brushed Nickel (WOBN) **\$305** 

Drain Finishes – PVC Drain Kit

White (WOTRW) \$525

Lift & Turn

Slim-Line Overflow with Toe Tap Drain Solid Brass Drain Chrome (SLOTSBC) **\$930** Brushed Nickel (SLOTSBBN) **\$935** Polished Nickel (SLOTSBPN) **\$935** 

White (SLOTSBW) \$965

<sup>+</sup> MTI has selected an oil-rubbed bronze finish that is compatible with Delta and many other manufacturers. To ensure best match, order as a Special Finish and submit a sample. \* Allow 2-4 weeks lead time for Special Finishes. Send sample for best match.

